

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
AM MUTIGRAPHICS	1250 OLD STYLE, 296, 1200, 1260,1275,2550	D 15/16 X 10 1/4	D	15/16	10 1/4	LL25	118	~	~	~
		F 1.9 X 10 5/8	F	1 9/10	10 5/8	LL75	218	~	~	~
		3M(20511) 2 1/16 X 10 5/8	3M	2 1/16	10 5/8	~	~	193-219	~	~
	T-51 / 1250 OLD STYLE	D 31/32 X 10 3/8	D	31/32	10 3/8	LL25	118	~	~	~
		F 1 15/16 X 10 1/2	F	1 15/16	10 1/2	LL75	218	~	~	~
		3m(21011) 2 7/64 x 10 1/2	3M	2 7/64	10 1/2	~	~	193-219	~	~
	1250W, LW OLD STYLE, 2550, 2550W,2560W, 1275W,2650W,1274W	D 15/16 X 10 1/2	D	15/16	10 1/2	LL25	118	~	~	~
		F 1.9 X 10 7/8	F	1 9/10	10 7/8	LL75	218	~	~	~
		3M(20512) 2 1/16 X 11 1/8	3M	2 1/16	11 1/8	~	~	193-219	~	~
	T-51 / 1250 W, LW OLD STYLE	D 3 1/32 X 11 3/8	D	3 1/32	11 3/8	LL25	118	~	~	~
		F 1.9 X 11 1/8	F	1 9/10	11 1/8	LL75	218	~	~	~
		3M(20512) 2 7/64 X 11 5/8	3M	2 7/64	11 5/8	~	~	193-219	~	~
	1250 W , LW NEW STYLE, 1275W,1260W,1250N, 2850W	D 15 X 11	D	1 1/2	11	LL25	118	~	~	~
		F 1.9 X 11 1/8	F	1 9/10	11 1/8	LL75	218	~	~	~
		3M(20512) 2 1/16 X 11 1/8	3M	2 1/16	11 1/8	~	~	193-219	~	~
	T-51 / 1250 W, LW NEW STYLE	D 31/32 X 11 3/8	D	31/32	11 3/8	LL25	118	~	~	~
		F 1 15/16 X 11 5/8	F	1 15/16	11 5/8	LL75	218	~	~	~
		3M(21014) 2 7/64 X 11 5/8	3M	2 7/64	11 5/8	~	~	193-219	~	~
	1330, 1360, 1650, 1659XE, 3850, 1362	D 29/32 X 13 3/8	D	29/32	13 3/8	LL25	118	~	~	~
		F 1.9 X 13 1/16	F	1 9/10	13 1/16	LL75	218	~	~	~
		3M(20514) 2 3/32 X 13 1/16	3M	2 3/32	13 1/16	~	~	193-219	~	~
	T-51 / 1360, 1650	D 15/16 X 13 3/8	D	15/16	13 3/8	LL25	118	~	~	~
		F 1 15/16 X 13 3/8	F	1 15/16	13 3/8	LL75	218	~	~	~
		3M(21014) 2 7/64 X 13 3/8	3M	2 7/64	13 3/8	~	~	193-219	~	~
1850, 1860, 1870N, 1862, 1962XE,1960XE, 1960	D 15/16 X 19 1/8	D	15/16	19 1/8	LL25	118	~	~	~	
	F 1.9 X 18 3/8	F	1 9/10	18 3/8	LL75	218	~	~	~	
	3M(20519) 2 1/16 X 18 3/8	3M	2 1/16	18 3/8	~	~	193-219	~	~	
T-51 / 1850 OLD STYLE	D 15/16 X 19 1/2	D	15/16	19 1/2	LL25	118	~	~	~	
	F 1 15/16 X 18 7/8	F	1 15/16	18 7/8	LL75	218	~	~	~	
	3M(21019) 2 7/64 X 18 7/8	3M	2 7/64	18 7/8	~	~	193-219	~	~	
T-51 / 1870, 1870	D 15/16 X 19 1/8	D	15/16	19 1/8	LL25	118	~	~	~	
	F 1 7/8 X 18 1/4	F	1 7/8	18 1/4	LL75	218	~	~	~	
	3M(20519) 2 1/16 X 18 1/4	3M	2 1/16	18 1/4	~	~	193-219	~	~	
ATF CHIEF	CHIEF 15, 115, 215 OLD STYLE,	D 1 X 10 13/16	D	1	10	LL25	118	~	~	~
	ITEK 1115, DITTO 215,	F 2 X 10 1/2	F	2	10 1/2	LL75	218	~	~	~
	DAVIDSON 301	3M(22211) 2 1/4 X 10 5/8	3M	2 1/4	10 5/8	~	~	220-251	~	~
	CHIEF 15, 115, NEW STYLE. 215	D 1 10 13/16	D	1	10 13/16	LL25	118	~	~	~
	F 2 X 10 1/2	F	2	10 1/2	LL75	218	~	~	~	
	3M(21011) 2 3/32 X 10 5/8	3M	2 3/32	10 5/8	~	~	193-219	~	~	

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
ATF CHIEF	CHIEF 17, 117, 215 2nd head,	D 1 X 11 1/4	D	1	11 1/4	LL25	118	~	~	~
	ITEK 1117, DITTO 217 NEW STYLE	F 2 X 11 3/16 3M(21014) 2 3/32 X 11 3/16	F 3M	2	11 3/16	LL75	218	~	~	193-219
CHIEF 17 OLD STYLE		D 1 X 11 1/4	D	1	11 1/4	LL25	118	~	~	~
		F 2 X 11 1/4	F	2	11 1/4	LL75	218	~	~	~
		3M(22212) 2 3/32 X 11 3/16	3M	2 3/32	11 3/16	~	~	193-219	~	~
SUPER CHIEF, MODEL XL		D 1 X 13 15/16	D	1	13 15/16	LL25	118	~	~	~
		F 2 X 11 1/4	F	2	11 1/4	LL75	218	~	~	~
		3M(21014)	3M			~	~	193-219	~	~
CHIEF 20		D 1 1/2 X 21	D	1 1/2	21	LL50	118	~	~	~
		F 2 1/8 X 21	F	2 1/8	21	LL100	218	~	~	~
		3M(21014)	3M			~	~	193-219	~	~
DM NEW STYLE		D 1 1/2 X 21 1/4	D	1 1/2	21 1/4	LL50	118	~	~	~
		F 2 1/8 X 20 3/4	F	2 1/8	20 3/4	LL100	218	193-219	~	~
CHIEF 20A, MODEL DM		D 1 1/2 X 21 3/8	D	1 1/2	21 3/8	LL50	118	~	~	~
		F 2 1/8 X 20 7/8	F	2 1/8	20 7/8	LL100	218	193-219	~	~
14 X 20 MA		D 2 1/4 X 23	D	2 1/4	23	LL100	218	~	~	~
		F 2 1/4 X 22 1/8	F	2 1/4	22 1/8	LL100	218	220-251	~	~
LITTLE CHIEF MP		D 1 1/2 X 21 1/4	D	1 1/2	21 1/4	LL50	118	~	~	~
		F 2 1/8 X 20 3/4	F	2 1/8	20 3/4	LL100	218	193-219	~	~
CHIEF 22 17 X 22 OE		D 2 1/4 X 24	D	2 1/4	24	LL100	218	~	~	~
		F 2 1/4 X 22 7/8	F	2 1/4	22 7/8	LL100	218	220-251	~	~
CHIEF 29		D 2 1/4 X 29 3/4	D	2 1/4	29 3/4	L100	218	~	~	~
		F 2 1/4 X 29 3/4	F	2 1/4	29 3/4	L100	218	220-251	~	~
CHIEF 29A		D 2 1/4 X 30 1/2	D	2 1/4	30 1/2	LL100	218	~	~	~
		F 2 1/4 X 29 7/8	F	2 1/4	29 7/8	LL100	218	220-251	~	~
CHIEF 126, 226		D 2 1/4 X 27	D	2 1/4	27	LL100	218	~	~	~
		F 2 1/4 X 27	F	2 1/4	27	LL100	218	220-251	~	~
SWEDISH CHIEF 24		D 2 1/4 X 26	D	2 1/4	26	LL100	218	~	~	~
		F 2 5/16 X 24 5/16	F	2 5/16	24 5/16	LL100	218	220-251	~	~
FW 26 WEB		D 1 5/8 X 27 1/4	D	1 5/8	27 1/4	LL75	175	~	~	~
		F 2 1/8 X 27 1/2	F	2 1/8	27 1/2	LL100	218	220-251	JL-2	~
CHIEF 238, 25 X 38		D 3 1/2 X 40 5/8	D	3 1/2	40 5/8	3	350	~	~	~
		F 2 7/8 X 38 3/4	F	2 7/8	38 3/4	LL200	300	291-335	~	~
CHIEF 250, 36 X 50		D 3 1/32 X 40 4/8	D	3 1/32	40 1/2	3	350	~	~	~
		F 2 7/8 X 38 3/4	F	2 7/8	38 3/4	LL200	300	291-335	~	~
CHIEF 225, 38 X 55		D 3 1/32 X 57 5/8	D	3 1/32	57 5/8	3	350	~	~	~
		F 2 7/8 X 55 1/4	F	2 7/8	55 1/4	LL200	300	291-335	~	~
ATF WEB 20A		D 1 1/2 X 21 3/8	D	1 1/2	21 3/8	LL50	150	~	~	~
		F 2 1/8 X 20 7/8	F	2 1/8	20 7/8	LL100	218	220-251	~	~

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liabilities for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		GREEN SYNTHETIC		
						A-TEX	TSC	WS	J-LASTIC	NEWS KNIT
ATF CHIEF	S-A SIMPLEMATIC OLD STYLE	D 2 1/4 X 32 1/2	D	2 1/4	32 1/2	LL100	250	~	~	~
		F 2 1/4 X 30 1/4	F	2 1/4	30 1/4	LL100	250	220-251	~	~
	S SIMPLIMATIC	D 2 1/4 X 30	D	2 1/4	30	LL100	250	~	~	~
		F 2 1/4 X 28 1/4	F	2 1/4	28 1/4	LL100	250	220-251	~	~
	MODEL P, 11 X 17	D 1 3/4 X 18 3/4	D	1 3/4	18 3/4	LL75	175	~	~	~
		F 2 1/8 X 18 3/4	F	2 1/8	18 3/4	LL100	218	220-251	~	~
	CHIEF 24	D 2 1/4 X 26	D	2 1/4	26	LL100	250	~	~	~
		F 2 1/4 X 25	F	2 1/4	25	LL100	250	220-251	~	~
	BIG CHIEF S-A	D 2 1/4 X 29 3/4	D	2 1/4	29 3/4	LL100	250	~	~	~
		F 2 1/4 X 29 3/4	F	2 1/4	29 3/4	LL100	250	220-251	~	~
	LITTLE CHIEF	D 1 1/2 X 21 1/4	D	1 1/2	21 1/4	LL75	175	~	~	~
		F 2 1/8 X 20 3/4	F	2 1/8	20 3/4	LL100	218	220-251	~	~
	WEB 29 A	D 2 1/4 X 30 1/2	D	2 1/4	30 1/2	LL100	250	~	~	GNK-20
		F 2 3/8 X 29 7/8	F	2 3/8	29 7/8	LL100	250	220-251	~	~
	ATF 171	D 1 3/4 X 27 1/2	D	1 3/4	27 1/2	LL75	175	~	~	~
		F 2 3/8 X 27	F	2 3/8	27	LL100	250	220-251	~	~
	SPECIAL WEB	D 2 7/8 X 17 1/2	D	2 7/8	17 1/2	LL200	300	~	~	GNK- 27
		F 2 7/8 X 16 7/8	F	2 7/8	16 7/8	LL200	300	291-335	~	~
GREEN HORNET	D 1 3/4 X 18 1/8	D	1 3/4	18 1/8	LL75	175	~	~	~	
	F 2 X 18 3/8	F	2	18 3/8	LL75	218	193-219	~	~	
AB DICK	350 T-51 OLD STYLE & 1973 AND EARLIER	D 31/32 X 10 1/8	D	31/32	10 1/8	LL25	118	~	~	~
		F 1 15/16 X 10 3/4	F	1 15/16	10 3/4	LL75	218	~	~	~
		3M(21014) 2 1/8 X 10 3/4	3M	2 1/8	10 3/4	~	~	193-219	~	~
	CENTURY 6020, 6010	D 1.3 X 21 1	D	1 3/10	21 1/10	LL50	150	~	~	~
		F 1.7 X 20 67	F	1 7/10	20 65/97	LL175	175	185-211	~	~
		F2 1.6 X 20.67	F2	1 3/5	20 65/97	LL175	175	185-211	~	~
	T-51 FOR 350 , NEW STYLE 1974 AND NEWER	D 31/32 X 11 3/8	D	31/32	11 3/8	LL25	118	~	~	~
		F 1 15/16 X 11 5/8	F	1 15/16	11 5/8	LL75	218	~	~	~
		3M(21014) 2 1/8 X 11 5/8	3M	2 1/8	11 5/8	~	~	193-219	~	~
	T-51 FOR 380, 385, MGD 20, 22	D 1 3/8 X 24 1/8	D	1 3/8	24 1/8	LL50	118	~	~	~
		F 1 15/16 X 23 3/8	F	1 15/16	23 3/8	LL75	218	~	~	~
		3M(21024) 2 7/64 X 23 3/8	3M	2 7/64	23 3/8	~	~	193-219	~	~
AKIYAMA	HA-226, 426	F 1.7	F	1 7/10	LL75	175	220-251 FL 28.6"	~	~	
	HA-228, 428, 628 (U)	F 1.8	F	1 4/5	LL100	218	252-290 FL 28.6"	~	~	
	HA- 238, 438	~	~	~	LL200	250	252-290	~	~	
	HA-240, 440	~	~	~	LL200	250	252-290 FL 40.6"	~	~	
	SA-32, 238, 438	~	~	~	LL200	250	252-290	~	~	
	SA-32	D 2.5	D	2 1/2	LL150	250	~	~	~	
	~	F 2.3	F	2 3/10	LL150	250	220-251	~	~	
SA-224, 250, 444, 450	F 2.8	F	2 4/5	LL200	300	291-335	~	~		

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liability for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		GREEN SYNTHETIC		
						A-TEX	TSC	WS	J-LASTIC	NEWS KNIT
AKIYAMA	SL-138, 238	F 2.5	F	2 1/2		LL150	250	252-290	~~	~~
	TH-38, 238	D 1.8	D	1 4/5		LL100	218	~~	~~	~~
		F 2.3	F	2 3/10		LL100	250	252-290	~~	~~
		D 2.0	D	2		LL75	218	~~	~~	~~
	TH-26	F 1.9	F	1 9/10		LL75	218	220-251	~~	~~
		F 1.5	F	1 1/2		LL50	150	220-251	~~	~~
		D 2.4	D	2 2/5		LL150	250	~~	~~	~~
	TH-20	F 2.2	F	2 1/5		LL150	250	220-251	~~	~~
		F 1.8	F	1 4/5		LL75	218	220-251	~~	~~
	ATC-K50	F 1.8	F	1 4/5		LL75	218	220-251	~~	~~
ATC-K33	D 1.8	D	1 4/5		LL75	218	~~	~~	~~	
	F 2.0	F	2		LL75	218	220-251	~~	~~	
AURELIA	COMMANDER 24, 125 X 225	D 2 17/32 X 25 2/16	D	2 17/32	25 1/8	LL150	250	~~	~~	~~
		F 2 3/8 X 25 2/8	F2	2 3/8	25 1/4	LL150	250	220-251	~~	~~
		F2 2 27/32 X 25 3/8	F2	2 27/32	25 3/8	LL200	300	220-251	~~	~~
	COMMANDER 25,126	D 2 1/2 X 27 1/32	D	2 1/2	27 1/32	LL150	250	~~	~~	~~
		F 2 9/16 X 27 3/8	F2	2 9/16	27 3/8	LL150	250	243-263	~~	~~
		F2 2 25/64 X 27 3/8	F2	2 25/64	27 3/8	LL100	200	220-251	~~	~~
	COMMANDER 29, 129	D 2 11/32 X 32 9/16	D	2 11/32	32 9/16	LL100	250	~~	~~	~~
		F 2 3/8 X 25 3/8	F2	2 3/8	25 3/8	LL100	250	220-251	~~	~~
		F2 2 3/4 X 32 9/16	F2	2 3/4	32 9/16	LL200	300	252-290	~~	~~
	COMMANDER 26SC	F 2.51	F2	2 26/51		LL150	250	243-263	~~	~~
		F2 2.47	F2	2 8/17		LL150	250	243-263	~~	~~
	COMMANDER 36	D 2 3/8 X 37 13/32	D	2 3/8	37 13/32	LL150	250	~~	~~	~~
		F 2 9/16 X 37 13/32	F	2 9/16	37 13/32	LL150	250	243-263	~~	~~
		F2 2 3/4 X 37 13/32	F2	2 3/4	37 13/32	LL200	300	252-290	~~	~~
	COMMANDER 38	D 3 5/32 X 39 3/4	D	3 5/32	39 3/4	3	350	~~	~~	~~
		F 3 1/2 X 39 3/4	F	3 1/2	39 3/4	3	350	335-362	~~	~~
		F2 3 3/4 X 39 3/4	F2	3 3/4	39 3/4	35	378	336-394	~~	~~
	COMMANDER 39A	F 2.7	F	2 7/10		LL200	300	252-290	~~	~~
		F2 2.9	F2	2 9/10		LL200	300	253-290	~~	~~
	COMMANDER 40	D 2 9/16	D	2 9/16		LL150	250	~~	~~	~~
		F 2.50	F	2 1/2		LL150	250	252-290	~~	~~
	COMMANDER 44	D 3 5/32	D	3 5/32		3	350	~~	~~	~~
		F 3 1/2 X 44 1/2	F	3 1/2	44 1/2	3	350	252-290	~~	~~
		F2 3 3/4 X 44 1/2	F2	3 3/4	44 1/2	35	378	336-394	~~	~~
	44A MULTICOLOR MODEL76,	D 3 5/32 X 46 1/16	D	3 5/32	46 1/16	3	350	~~	~~	~~
	48B MULTICOLOR MODEL 82	F 3 1/2 X 45 9/32	F2	3 1/2	45 9/32	3	350	335-362	~~	~~
		F2 3 3/4 X 45 9/32	F2	3 3/4	45 9/32	35	378	336-394	~~	~~
	51 MULTICOLOR	D 3 5/32 X 53 1/2	D	3 5/32	53 1/2	3	350	~~	~~	~~
		F2 3 3/4 X 52 3/4	F2	3 3/4	52 3/4	3	350	335-362	~~	~~
		F3 3 3/4 X 52 3/4	F3	3 3/4	52 3/4	35	378	336-394	~~	~~

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liabilities for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
BAKER PERKINS	G-6, G-14	F 3.74	F	3 37/50		35	378	336-394	~	~
	GEMINI	F 3.97	F	3 65/67		35	378	336-394	~	~
BANTHAM	SHREIBERG	D 1 9/16 X 19 1/2	D	1 9/16	19 1/2	LL75	175	~	~	~
		F 1 3/16 X 19 1/4	F	1 3/16	19 1/4	LL25	125	118-130	~	~
BABCOCK OFFSET	19 X25	D 2 1/4 X 27 3/4	D	2 1/4	27 3/4	LL100	250	~	~	~
		F 2 1/4 X 26 7/8	F	2 1/4	26 7/8	LL100	250	220-251	~	~
BIGELOW OFFSET	BIGELOW OFFSET	F 2 7/32 X 17 3/4	F	2 7/32	17 3/4	LL100	250	220-251	~	~
CHANDLER&PRICE	CHANDLER&PRICE 24: Web	D 1.9	D	1 9/10		LL75	218	193-219	~	GNK-20
CLARY	CENTURY 36 X 38	D 2.2	D	2 1/5		LL100	218	220-251	~	~
	FUTURA 18X 26	D2.2	D	2 1/5		LL100	218	220-251	~	~
COLOR METAL - MCM	CHAMPION 25 X 38 CK,13, 238, 438, 42, 136	F 3.2	F	3 1/5		3	350	291-335	~	~
	CHAMPION 27C	F 2.5	F	2 1/2		LL150	250	220-251	~	~
	JEWEL 29	F 3.03	F	3 2/67		3	300	392-335	~	~
	OLYMPIC 28 C	F 2.1	F	2 1/10		LL75	218	193-219	~	~
	OLYMPIC 38	F 2.5	F	2 1/2		LL150	250	220-251	~	~
	PERLE 24X 25	F 1.9	F	1 9/10		LL75	218	193-219	~	~
	PERLE 27	F 2.5	F	2 1/2		LL150	250	220-251	~	~
	PERLE 29	F 2.8	F	2 4/5		LL200	300	252-290	~	~
COLUMBIAN OFFSET	14 1/2 X 20 TYPE A	D 1 5/8 X 21 1/4	D	1 5/8	21 1/4	LL75	175	~	~	~
		D2 2 9/16 X 21 1/4	D2	2 9/16	21 1/4	LL150	300	~	~	~
		F 1 5/8 X 20 3/4	F	1 5/8	20 3/4	LL75	175	252-290	~	~
		F2 2 9/16 X 20 3/4	F2	2 9/16	20 3/4	LL150	300	252-390	~	~
	22 X 34 1/2	D 1 5/8 X 35	F	1 5/8	35	LL75	175	~	~	~
		D2 2 1/4 X 35	D2	2 1/4	35	LL150	250	~	~	~
		F 2 1/8 X 35	F	2 1/8	35	LL100	218	220-251	~	~
		F2 3 X 35	F2	3	35	3	300	291-335	~	~
CONSOLIDATED HITACHI	30, 40, 45, HITACHI WEB	D 3.3	D			3	300	291-335	~	GNK-32
PEARL 24	D 1 3/4 X 24 13/16	D	1 3/4	24 13/16	LL75	175	~	~	~	
	F 2 1/16 X 24 13/16	F	2 1/16	24 13/16	LL100	218	193-219	~	~	
	F2 1 15/16X2413/16	F2	1 15/16	24 13/16	LL75	175	193-219	~	~	
PEARL 25	D 1 15/16 X 25 1/8	D	1 15/16	25 1/8	LL75	175	~	~	~	
	F 2 1/16 X 25 1/8	F	2 1/16	25 1/8	LL100	218	193-219	~	~	
JEWEL 29	D 3 1/8 X 31 3/4	D	3 1/8	31 3/4	3	350	~	~	~	
	F 1 1/16 X 25 1/8	F	1 1/16	25 1/8	LL100	218	193-219	~	~	
CHAMPION 27	D 2 9/16 X 30 1/2	D	2 9/16	30 1/2	LL150	250	~	~	~	
	F 2 9/16 X 29 23/32	F	2 9/16	29 23/32	LL150	250	252-290	~	~	
CHAMPION 38	D 3 1/16 X 40 5/32	D	3 3/16	40 5/32	3	350	~	~	~	
	F 3 1/16 X 38 31/32	F	3 1/16	38 31/32	3	350	291-335	~	~	
CHAMPION 242	D 3 15/16	D	3 15/16		35	378	~	~	~	
	F 3 1/16 X 42 33/61	F	3 1/16	42 33/61	3	300	291-335	~	~	

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liabilities for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
COTRELL HARRIS	SEE HARRIS									
CRABTREE	EMPRESS, 41X54 MARK X, 41X65 MARK XII	F 2.5 X 29 1/4	F	2 1/2	29 1/4	LL150	250	252-290	~~	~~
	MANN	F 4.4	F2	4 2/5		LL35	478	~~	~~	~~
	SOVERIGN	F 2 3/8 X 29 1/4	F	2 3/8	29 1/4	LL100	250	252-290	~~	~~
	SOVERIGN, MARK I, II, III	F 4.2	F	4 1/5		35	478	~~	~~	~~
	AMBASSADOR	F 4.1	F	4 1/10		35	478	~~	~~	~~
	COUNTESS	F 2.9	F	2 9/10		LL200	300	291-335	~~	~~
	FALCAN 25	D 2.4	D	2 2/5		LL150	250	220-251	~~	~~
	PRINCESS	D 2.5	D	2 1/2		LL150	250	220-251	~~	~~
CHAMPION	HCM	F 3.24 X 39	F	3 6/25	39	3	350	291-335	~~	~~
	L-65	F 2.6	F	2 3/5		LL150	250	252-290	~~	~~
DAVIDSON	301 SEE ATF CHIEF									
	221, 241, 251, 242, 252	D 1 1/4 X 10 5/8	D	1 1/4	10 5/8	LL50	150	~~	~~	~~
		F 2 5/32 X 11	F	2 5/32	11	LL100	150	~~	~~	~~
		3M(23011) 2 5/16 X 11	3M	2 5/16	11	~~	218	220-251	~~	~~
	233,600, 601, 700,701 OLD STYLE	D 1 1/4 X 11 7/8	D	1 1/4	11 7/8	LL50	150	~~	~~	~~
		F 2 5/32 X 17 7/8	F	2 5/32	17 7/8	LL100	218	~~	~~	~~
		3M(23019) 2 5/16	3M	2 5/16		~~	~~	220-251	~~	~~
	400, 500, 501 old style	D 1 1/4 X 11 7/16	D	1 1/4	11 7/16	LL50	150	~~	~~	~~
		F 2 3/16 X 11	F	2 3/16	11	LL100	218	~~	~~	~~
		3M(23011)	3M			~~	~~	220-251	~~	~~
	400, 500, 501, 502, HIGH SPEED 500,501,502, PERFECTOR	D 1 1/4 X 11 7/16	D	1 1/4	11 7/16	LL50	150	~~	~~	~~
		F 2 3/16 X 10 7/8	F	2 3/16	10 7/8	LL100	218	~~	~~	~~
		3M(23011) 2 5/16X10 7/8	3M	2 5/16	10 7/8	~~	~~	220-251	~~	~~
	600, 700, 701 HI SPEED, 700,701,702 PERFECTOR	D 1 1/4 X 18 7/8	D	1 1/4	18 7/8	LL50	150	~~	~~	~~
		F 2 3/16 X 18 1/8	F	2 3/16	18 1/8	LL100	218	~~	~~	~~
3M(23019) 2 5/16 X 18 1/8		3M	2 5/16	18 1/8	~~	~~	220-251	~~	~~	
901	D 1 1/4 X 21 1/8	D	1 1/4	21 1/8	LL50	150	~~	~~	~~	
	F 2 5/32 X 20 9/16	F	2 5/32	20 9/16	LL100	250	~~	~~	~~	
	3M(23022) 2 5/32 X 20 9/16	3M	2 5/32	20 9/16	~~	~~	220-251	~~	~~	
DIDDIE GLASER	APOLLO 8 1/2, 17, IBM9370, TANDEM 8 1/2	D 1 1/8 X 14	D	1 1/8	14	LL25	125	~~	~~	~~
	TANDEM 8 1/2	F 1 1/8 X 13 1/2	F	1 1/8	13 1/2	LL25	125	~~	~~	~~
	TANDEM 17 WITH 17" CUT OFF	3M(13014) 1 5/16 X 13 5/8	3M	1 15/16	13 5/8	~~	~~	118-130	~~	~~
	175	D 1 1/2 X 14 1/16	D	1 1/2	14 1/16	LL50	175	~~	~~	~~
		F 1 3/4 X 13 9/16	F	1 3/4	13 9/16	LL75	175	~~	~~	~~
		3M(19714) 1 31x 13 9/16	3M	1 9/29	13 9/16	~~	~~	193-219	~~	~~
	D 1 1/2 X 18 1/16	D	D	18 1/6	LL50	175	~~	~~	~~	
	F 1 3/4 X 17 9/16	F	F	17 9/16	LL75	175	~~	~~	~~	
	3M(19719) 2 X 17 3/4	3M	3M	17 3/4	~~	~~	193-219	~~	~~	

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liabilities for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
DIDDIE GLASER	APOLLO MC	D 1 1/2 X 14 1/16	D	1 1/2	14 1/6	LL50	175	~	~	~
		F 1 3/4 X 13 9/16	F	1 3/4	13 9/16	LL75	175	193-219	~	~
	COMPU-PRESS 11	F 3 1/2 X 18 9/16	F	3 1/2	18 9/16	3	350	335-352	~	~
	MODEL 860, WEBCOM	F 3 1/2 X 17 9/16	F	3 1/2	17 9/16	3	350	335-352	~	~
	MODEL 20.5	F 3 1/2 X 20 9/16	F	3 1/2	20 9/16	3	350	335-352	~	~
	MODEL 20.5 WITH TRI FLOW DAMPENING	F 2 29/32 X 20 9/16	F	2 29/32	20 9/16	LL200	300	291-335	~	~
	COLORFORM	F 3 1/2 X 20 7/8	F	3 1/2	20 7/8	3	350	335-352	~	~
VIP	F 2 7/8 X 21 9/16	F	2 7/8	21 9/16	LL200	300	291-335	~	~	
DUTRO HENRY WEB	45 1/2 X 37 1/2	D 3 1/8 X 37 1/2	D	3 1/8	37 1/2	3	350	~	~	GNK-27
		F 3 1/8 X 37 1/2	F	3 1/8	37 1/2	3	350	~	~	~
		EM(30338) 3.03 X 37 1/2	3M	3 2/67	37 1/2	~	~	291-335	~	~
	OFFSET UNIT	D 2 5/16 X 27	D	2 5/16	27	LL100	250	~	~	GNK-27
		F 2 1/16 X 27	F		27	LL100	218	220-251	~	~
	SPEED FLEX	D 2 5/16 X 13 7/8	D	2 5/16	13 7/8	LL100	250	~	~	GNK-27
		F 2 1/16 X 13 7/8	F	2 1/16	13 7/8	LL100	218	~	~	~
		3M(19714) 1.97 X 13 7/8	3M	1 32/33	13 7/8	~	~	193-219	~	~
WEB OFFSET	D 2 5/16 X 13 7/8	D	2 5/16	13 7/8	LL100	250	~	~	GNK-27	
	F 2 X 13 7/8	F	2	13 7/8	LL75	218	193-219	~	~	
EBCO	22 X 34	D 2.5 X 38.5	D	2 1/2	38 1/2	LL150	250	~	~	~
		F 2.5 X 36.5	F	2 1/2	38 1/2	LL150	250	252-290	~	~
FAIRCHILD	COLOR KING	D 2 1/2 X 37	D	2 1/2	37	LL150	250	~	~	~
		F 2.52 X 36 1/2	F	2 13/25	36 1/2	LL150	250	~	~	~
		3M(26308) 2.6 X 36 1/2	3M	2 3/5	36 1/2	~	~	252-290	~	~
GOEBEL	OPTIFORMA	D 2.8	D	2 4/5		LL100	300	252-290	~	~
GESTETNER	200, 311, 411,	D 15/16 X 10 11/16	D	15/16	10 11/16	LL25	118	~	~	~
	ARROW 5000	F 2 X 10 3/8	F	2	10 3/8	LL75	218	193-219	~	~
	312 SEE CHIEF 17									
	213, 313, 413,	D 15/16 X 13 7/8	D	D 15/16	13 7/8	LL50	118	~	~	~
ARROW 7000	F 2 X 13 1/8	F	2	13 1/8	LL75	218	193-219	~	~	
GOSS	COMMUNITY	D 2 3/4 X 35 1/2	D	2 3/4	35 1/2	LL200	300	~	~	GNK-27
	SUBURBAN	D 3 1/8 X 36 1/2	D	3 1/8	36 1/2	3	350	~	~	GNK-27
	URBANITE	D 3 1/8 X 36 1/2	D	3 1/8	36 1/2	3	350	~	~	GNK-27
	METRO	D 4.97	D	4 32/33		5	~	~	~	~
	SIGNATURE	D 3.0	D	3		3	350	~	~	GNK-27
	PUBLICATION 34 1/2 X 50	D 4.47	D	4 39/83		4	~	~	~	~
HANSCHO	36" WEB	F 2.97	F	2 65/67		LL200	300	291-335	~	~
	38" WEB	D 3 X 39 3/8	D	3	39 3/8	LL200	300	~	~	GNK-27
		F 3 5/32 X 39 3/8	F	3 5/32	39 3/8	3	350	291-335	~	~
	MARK V	D 3 X 28 1/8	D	3	28 1/8	LL200	300	~	~	~
F 3 5/32 X 27 1/8		F	3 5/32	27 1/8	3	350	291-335	~	~	

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liabilities for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		GREEN SYNTHETIC		
						A-TEX	TSC	WS	J-LASTIC	NEWS KNIT
HANSCHO	MARK VI	D 3 X 40 1/8	D	3	40 1/8	LL200	300	~	~	~
		F 3 5/32 X 39 1/8	F	3 5/32	39 1/8	3	350	291-335	~	~
	37"	D 3 X 37 3/8	D	3	37 3/8	LL200	300	~	~	~
		F 3 5/32 X 37 3/8	F	3 5/32	37 3/8	3	350	291-335	~	~
	38" COMMERCIAL	D 2.9	D	2 9/10		LL200	300	~	~	GNK-27
		F 3.6	F	3 3/5		35	350	336-394	~	~
	42" WEB	F 2.9	F	2 9/10		LL200	300	291-335	~	~
	50" WEB	F 3.6	F	3 3/5		35	350	336-394	~	~
50" WEB NEW SERIES	F 3.9	F	3 9/10		35	378	336-394	~	~	
63", 64" WEB	F 3.9	F	3 9/10		35	378	336-394	~	~	
HAMILTON	HAMILTON	F 3 3/8	F	3 3/8		3	350	336-394	~	~
HOE METAL	MTL DÉCOR , 20 X 36, 34 X 36	D 3 1/2 X 38	D	3 1/2	38	35	350	~	~	~
		F 3 5/16 X 38	F	3 5/16	38	3	350	336-394	~	~
	MTL DÉCOR, 34 X 45	D 3 1/2 X 47	D	3 1/2	47	35	350	~	~	~
		F 3 5/16 X 47	F	3 5/16	47	3	350	336-394	~	~
HASHIMOTO	25-1	F 2 X 25 1/2	F	2	25 1/2	LL75	218	193-219	~	~
	26-2P	F 2.3 X 26.5	F	2 3/10	26 1/2	LL100	218	220-251	~	~
	551	F 2.3	F	2 3/10		LL100	250	220-251	~	~
	AFK, AFS, BFK, BFS	F 1.7	F	1 7/10		LL75	218	193-219	~	~
	AFV	F 1.6	F	1 3/5		LL75	218	169-192	~	~
	BFS-FB, BFS-JA, FEM, JA, JB, JM	F 1.8	F	1 4/5		LL75	218	193-219	~	~
	BF III	D 1.9	D	1 9/10		LL75	218	~	~	~
F 2.2		F	2 1/5		LL100	250	220-251	~	~	
HAMADA	500,500CD,50 COLOR HEAD	D 1 3/32 X 11	D	1 3/32	11	LL25	118	~	~	~
		F 1 15/16 X 11	F	1 15/16	11	LL75	218	~	~	~
		3M(21014) 2 1/8 X 11	3M	2 1/8	11	~	~	193-219	~	~
	500 CDA	D 1 3/32 X 12 7/32	D	1 3/32	12 7/32	LL25	118	~	~	~
		F 1 15/16 X 12 5/16	F	1 15/16	12 5/16	LL75	218	~	~	~
		3M(21014) 2 1/8 X 12 5/16	3M	2 1/8	12 5/16	~	~	193-219	~	~
	600, 600CD, 665, 60, 65 COLOR HEAD	D 1 3/32 X 12 7/32	D	1 3/32	12 7/32	LL25	118	~	~	~
		F 1 15/16 X 12 5/16	F	1 15/16	12 5/16	LL75	218	~	~	~
		3M(21014) 2 1/8 X 12 5/16	3M	2 1/8	12 5/16	~	~	193-219	~	~
	612CD, 612XL, 613ECD,	D 1 3/32 X 12 7/8	D	1 3/32	12 7/8	LL25	118	~	~	~
		DUETTO, DUETTO II, 62 COLOR HEAD	F 1 31/32 X 13	F	1 31/32	13	LL75	218	~	~
	612C62 COLOR HEAD	3M(21014) 2 13 3/8	3M	2	13 3/8	~	~	193-219	~	~
	RS 34M, VS 34M	D 1 1/8 X 13 11/32	D	1 1/8	13 11/32	LL25	118	~	~	~
		F 1 7/8 X 13 3/8	F	1 7/8	13 3/8	LL75	218	~	~	~
		3M(20514) 2 X 13 3/8	3M	2	13 3/8	~	~	193-219	~	~
	H 234	D 1.25 X 19.68	D	1 1/4	19 17/25	LL50	125	~	~	~
F 2.10 X 19.68		F	2 1/10	19 17/25	LL100	218	193-219	~	~	

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liabilities for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
HAMADA	C-248(intermediate roller)	D 1.62 X 20.5	D	1 31/50	20 1/2	--	--	150-168	--	--
	C-248 EX (conventional)	D 1.12 X 19.6	D	1 3/25	19 3/5	LL50	125	--	--	--
		F 1.92 X 19.6	F	1 3/25	19 3/5	LL100	218	193-219	--	--
	H 252	D 1 9/32 X 20 25/32	D	1 9/32	20 25/32	LL50	125	--	--	--
		F 1 25/32 X 20 7/8	F1	1 25/32	20 7/8	LL75	175	--	--	--
		F1 1 27/32 X 20 7/8	F2	1 27/32	20 7/8	LL75	218	--	--	--
		3M(18522) 1 55/64 X 20 7/8	3M	1 55/64	20 7/8	--	--	185-211	--	--
		3M2(18522) 1 57/64 X 20 7/8	3M2	1 57/64	20 7/8	--	--	185-211	--	--
	700, 700CD, 700DX, 700CDX, 775, E-47, 70,75 COLOR HEAD	D 1 3/32 X 18 3/4	D	1 3/32	18 3/4	LL25	118	--	--	--
		F 1 31/32 X 18 3/4	F	1 31/32	18 3/4	LL75	218	--	--	--
		3M(21019) 2 1/8 X 18 3/4	3M	2 1/8	18 3/4	--	--	193-219	--	--
	800, 800CD, 800CDX, 800SX, 885, 80, 85 COLOR HEAD	D 1 1/16 X 20 1/8	D	1 1/16	20 1/8	LL25	118	--	--	--
		F 1 31/32 X 20 7/8	F	1 31/32	21 7/8	LL75	218	--	--	--
		3M(21022) 2 1/8 X 20 7/8	3M	2 1/8	20 7/8	--	--	193-219	--	--
	BETA 252	D 1.4 X 21	D	1 2/5	21	LL50	150	--	--	--
		F 1.81 X 21 1/8	F	1 64/79	21 1/8	LL75	218	--	--	--
		F2 1.95 X 21 1/8	F2	1 19/20	21 1/8	LL75	218	--	--	--
	HARRIS	M 80	D 3.4	D	3 2/5		3	350	--	--
M 90, M 110		D 3.2	D	3 1/5		3	350	--	--	--
		F 2 1/4 X 27	F	2 1/4	27	LL100	218	220-251	--	--
M 200		D 3 X 37	D	3	37	3	300	--	--	--
		F 2 1/4 X 37	F	2 1/4	37	LL100	218	220-251	--	--
M 300		F 2 1/4 X 36.5	F	2 1/4	36 1/2	LL100	218	220-251	--	--
M 1000		F 3 1/8 X 39 1/2	F	3 1/8	39 1/2	3	350	291-335	--	--
NC 400		F 2 1/4 X 36 1/2	F	2 1/4	36 1/2	LL100	218	220-251	--	--
VANGUARD V 15A, V22, V25		D 1 7/8 X 37 1/2	D	1 7/8	37 1/2	LL75	218	--	--	--
		F 3 X 37	F	3	37	3	300	291-335	--	GNK-20
VANGUARD V 15 WEB		D 2.4	D	2 2/5		LL100	250	220-251	--	GNK-20
VANGUARD V22 WEB, V700		D 2.9	D	2 9/10		LL200	300	--	--	GNK-27
35 X 51 1/2		D 4.2	D	4 1/5		4	478	--	--	--
38" M1000 WEB		D 3.13	D	3 10/77		3	350	--	--	GNK-32
38" PERF WEB		D 2.2	D	2 1/5		LL100	250	--	--	GNK-20
38 3/4 X 64		D 4.7	D	4 7/10		5	478	--	--	--
38 3/4 X 40		D 3.4	D	3 2/5		3	350	--	--	--
41 X 61 WEB, 44 X 66		D 4.7	D	4 7/10		5	478	--	--	--
50" WEB		D 3.9	D	3 9/10		35	378	--	--	--
50" M1000 WEB		D 4.2	D	4 1/5		4	478	--	--	--
845, 1650		D 3.9	D	3 9/10		35	378	--	--	--
HARRIS	D 1.87 X 37 1/2	D	1 67/77	37 1/2	LL75	218	--	--	--	
	F 2.9 X 36	F	2 9/10	36	LL200	300	291-335	--	--	

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liabilities for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
HARRIS	14 X 20 LUH	D 2 X 23	D	2	23	LL75	218	~	~	~
		F 2 1/8 X 2 1/4	F	2 1/8	2 1/4	LL75	218	193-219	~	~
	17 X 22 LTG	D 2 X 25 1/2	D	2	25 1/2	LL75	218	~	~	~
		F 1 7/8 X 23 3/4	F	1 7/8	23 3/4	LL75	218	169-192	~	~
	17 X 22 LTV, LXD	D 2 X 25 1/2	D	2	25 1/2	LL75	218	~	~	~
		F 2 1/8 X 26 3/4	F	2 1/8	26 3/4	LL75	218	193-219	~	~
	19 X 25 LUS, LXF	D 2 X 29 5/8	D	2	29 5/8	LL75	218	~	~	~
		F 2 1/8 X 26 3/4	F	2 1/8	26 3/4	LL75	218	193-219	~	~
	21 X 28 LTC	D 2 X 34	D	2	34	LL75	218	~	~	~
		F 2 X 30 3/4	F	2	30 3/4	LL75	218	193-219	~	~
	21 X 28 LTW, LXB, LXG, TWB	D 2 X 33 5/8	D	2	33 5/8	LL75	218	~	~	~
		F 2 1/8 X 30 3/4	F	2 1/8	30 3/4	LL75	218	193-219	~	~
	22 X 34 LTN, LTP	D 2 X 39 1/4	D	2	39 1/4	LL75	218	~	~	~
		F 2 1/8 X 37	F	2 1/8	37	LL75	218	193-219	~	~
	LUM. LUL	D 2 X 41 3/4	D	2	41 3/4	LL75	218	~	~	~
		F 2 1/8 X 39 1/2	F	2 1/8	39 1/2	LL75	218	193-219	~	~
	36 X 45 LSS, LST, LUD, LUE	D 3 1/16 X 50 3/4	D	3 1/16	50 3/4	3	350	~	~	~
		F 3 1/16 X 49 1/2	F	3 1/16	49 1/2	3	350	291-335	~	~
	42 X 48 LTL, LUF, LVA, LVB. LVD, LVC, LVF	D 3 9/16 X 62 3/4	D	3 9/16	62 3/4	35	378	~	~	~
		F 3 9/16 X 60 1/2	F	3 9/16	60 1/2	35	378	335-362	~	~
	LTQ, LTR, LTS	D 3 15/16 X 78 1/2	D	3 15/16	78 1/2	35	378	~	~	~
		F 3 15/16 X 74	F	3 15/16	74	35	378	336-394	~	~
	LTX, LTY, LTZ, LXU	D 3 7/8 X 82 1/2	D	3 7/8	82 1/2	35	378	~	~	~
		F 3 7/8 X 78	F	3 7/8	78	35	378	336-394	~	~
	42 X 58 LSK OLD STYLE	D 3 1/16 X 62	D	3 1/16	62	3	350	~	~	~
		F 3 1/16 X 60 1/2	F	3 1/16	60 1/2	3	350	291-335	~	~
	42 X 58 LSK NEW STYLE, LSM	D 3 1/16 X 63 1/2	D	3 1/16	63 1/2	3	350	~	~	~
		F 3 1/16 X 60 1/2	F	3 1/16	60 1/2	3	350	291-335	~	~
	20 X 22 LTE	D 2 X 25 1/2	D	2	25 1/2	LL75	218	~	~	~
		F 1 7/8 X 23 3/4	F	1 7/8	23 3/4	LL75	218	193-219	~	~
	42 X 58 LTK, LTL, LTM	D 3 9/16 X 62 3/4	D	3 9/16	62 3/4	35	378	~	~	~
		F 3 9/16 X 60 1/2	F	3 9/16	60 1/2	35	378	335-362	~	~
	22 x 34 LTN, LTP	D 2 X 39 1/4	D	2	39 1/4	LL75	218	~	~	~
		F 2 1/8 X 37	F	2 1/8	37	LL75	218	193-219	~	~
	LUF	D 3 9/16 X 62 3/4	D	3 9/16	62 3/4	35	378	~	~	~
		F 3 9/16 X 60 1/2	F	3 9/16	60 1/2	35	378	335-362	~	~
	14 X 20 LUH	D 2 X 23	D	2	23	LL75	218	~	~	~
		F 2 1/8 X 21 1/4	F	2 1/8	21 1/4	LL75	218	193-219	~	~
	52 X 76 LUJ	D 3 15/16 X 82 1/2	D	3 15/16	82 1/2	35	378	~	~	~
		F 3 15/16 X 78	F	3 15/16	78	35	378	336-394	~	~

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liability for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		GREEN SYNTHETIC		
						A-TEX	TSC	WS	J-LASTIC	NEWS KNIT
HARRIS	LUM	D 2 3/8 X 41 3/4	D	2 3/8	41 3/4	LL100	250	~	~	~
		F 2 1/8 X 39 1/2	F	2 1/8	39 1/2	LL75	218	193-219	~	~
	LUN, LUP	D 3 1/16 X 50 3/4	D	3 1/16	50 3/4	3	350	~	~	~
		F 3 1/16 X 50	F	3 1/16	50	3	350	291-335	~	~
	MDA, MDB, MDC, MDD	D 3 1/4 X 47 1/2	D	3 1/4	47 1/2	3	350	~	~	~
		F 3 1/4 X 44 1/2	F	3 1/4	44 1/2	3	350	291-335	~	~
	MDE, MDF, MDG, MDH	D 3 1/4 X 40 1/2	D	3 1/4	40 1/2	3	350	~	~	~
		F 3 1/4 X 37 1/2	F	3 1/4	37 1/2	3	350	291-335	~	~
HEIDELBERG	GTO 46	F & D 1 7/8 X 18 1/4	F	1 7/8	18 1/4	LL75	218	~	~	~
		3M(19719) X 18 1/4				~	~	193-219	~	~
	GTO 52	F 1 7/8 X 20 5/8	F	1 7/8	20 5/8	LL75	218	~	~	~
		D 1 7/8 X 20 5/8	D	1 7/8	20 5/8	LL75				
		3M(19722) 1 31/32 X 20 5/8	3M	1 31/32	20 5/8	~	~	193-219	~	~
	KOR, KORA	F 1 7/8 X 23	F	1 7/8	23	LL75	218	~	~	~
		D 1 7/8 X 23	D	1 7/8	23	LL75				
		3M(19724) 1 31/32 X 23	3M	1 31/32	23	~	~	193-219	~	~
	KORD 62	F 2 X 25	F	2	25	LL75	218	~	JS1726	~
		D 2 X 25	D	2	25					
		3M(19726) 2 X 25	3M	2	25	LL75	~	193-219	~	~
	KORD 64	F 2 X 26 3/8	F	2	26 3/8	LL75	218	~	~	~
		D 2 X 26 3/8	D	2	26 3/8	LL75				
		3M(19728) 2 X 26 3/8	3M	2	26 3/8	~	~	193-219	~	~
	KORS	F 2 X 29 1/8	F	2	29 1/8	LL75	218	~	~	~
		D 2 X 29 1/8	D	2	29 1/8	LL75				
		3M(19732) 2 X 29 1/8	3M	2	29 1/8	~	~	193-219	~	~
	MO, MOV	F 1.89 X 26 1/8	F	1 8/9	26 1/8	LL75	218	~	~	~
		D 1.89 X 26 1/8	D	1 8/9	26 1/8	LL75				
		3M(19728) 1 31/32 X 26 1/8	3M	1 31/32	26 1/8	~	~	193-219	~	~
SOR, SORZ	F 2.48 X 32 7/8	F	2 12/25	32 7/8	LL150	250	~	~	~	
	D 2.48 X 32 7/8	D	2 12/25	32 7/8	LL150					
	3M(25136) 2.51 X 32 7/8	3M	2 26/51	32 7/8	~	~	243-263	~	~	
SORD	F 2.48 X 35 7/8	F	2 12/25	35 7/8	LL150	250	~	~	~	
	D 2.48 X 35 7/8	D	2 12/25	35 7/8	LL150					
	3M(24138) 2.51 X 35 7/8	3M	2 26/51	35 7/8	~	~	243-263	~	~	
SORK, SORZ	F 2.48 X 26 9/16	F	2 12/25	26 9/16	LL150	250	~	~	~	
	D 2.48 X 26 9/16	D	2 12/25	26 9/16	LL150					
	3M(25128) 2.51 X 26 9/16	3M	2 26/51	26 9/16	~	~	243-263	~	~	
SORMZ	F 2.48 X 29 1/4	F	2 12/25	29 1/4	LL150	250	~	~	~	
	D 2.48 X 29 1/4	D	2 12/25	29 1/4	LL150					
	3M(25136) 2.51 X 29 1/4	3M	2 26/51	29 1/4	~	~	243-263	~	~	

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liabilities for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
HEIDELBERG	SORSZ	F 2.48 X 41 1/4	F	2 12/25	41 1/4	LL150	250	~	~	~
		D 2.48 X 41 1/4	D	2 12/25	41 1/4	LL150				
		3M(25136) 2.51 X 29 1/4	3M	2 26/51	29 1/4	~	~	243-263	~	~
	72 SPEEDMASTER	F 2.48 X 29 1/4	F	2 12/25	29 1/4	LL150	250	~	~	~
		D 2.48 X 29 1/4	D	2 12/25	29 1/4	LL150				
		3M(25136) 2.51 X 29 1/4	3M	2 26/51	29 1/4	~	~	243-263	~	~
	102 SPEEDMASTER	F 2.48 X 41 1/4	F	2 12/25	41 1/4	LL150	250	~	~	~
		D 2.48 X 41 1/4	D	2 12/25	41 1/4	LL150				
		3M(25142) 2.51 X 41 1/4	3M	2 26/51	41 1/4	~	~	243-263	~	~
	20 X 40 SUPERSPEED	F 2.521	F	2 25/48		LL150	250	~	~	~
		D 2.521	D	2 25/48		LL150				~
	28 X 40 ROTASPEED	F 2.8	F	2 4/5		LL200	300	~	~	~
		D 2.8	D	2 4/5		LL200				~
	RON, ROH, RZO, RVO	D 2.9	D	2 9/10		LL150	250	~	~	~
F 2.6		F	2 3/5		LL150	250	252-290	~	~	
HILLROSE	UNIT	D 2.9	D	2 9/10		LL150	250	~	~	~
		F 3.3	F	3 3/10		3	350	335-362	~	~
ITEK	1115, 1117 SEE ATF CHIEF 975, 985, 3985, 3980	D 1 1/32 X 14 3/16	D	1 1/32	14 3/16	LL25	125	~	~	~
		F 2 X 14 1/4	F	2	14 1/4	LL75	218	~	~	~
		3M(21019) 2 3/32 X 14 1/4	3M	2 3/32	14 1/4	~	~	193-219	~	~
KING (SOLNA KING PRESS)	COLOR KING WEB	D 2.6	D	2 3/5		LL175	300	~	~	~
		F 2.8	F	2 4/5		LL200	300	252-290 FL36.3'	~	~
	NEW KING WEB	D 2.6	D	2 3/5		LL175	300	~	~	~
		F 2.8	F	2 4/5		LL200	300	252-290 FL36.3	~	~
	PRODUCTION KING WEB	D 3.7	D	3 7/10		35	350	~	~	~
		F 3.7	F	3 7/10		35	350	336-394	~	~
	SOLNA 230	D 2 7/8 X 31 7/8	D	2 7/8	31 7/8	LL200	300	~	~	~
		F 2 3/4 X 30 29/32	F	2 3/4	30 29/32	LL200	300	252-290	~	~
	SOLNA 240	D 2 1/2 X 41 15/16	D	2 1/2	41 15/16	LL150	218	~	~	~
		F 2 5/8 X 40 15/16	F	2 5/8	40 15/16	LL150	218	252-290	~	~
KOENING & BAUER	KRO, RAPIDA, PERF, SUPER RAPIDA	D 2 5/16 X 29	D	2 5/16	29	LL100	250	~	~	~
		F 2 5/16 X 29	F	2 5/16	29	LL100	250	220-251	~	~
KOMORI	SPRINT	D 2 3/8 X 26 7/8	D	2 3/8	26 7/8	LL150	218	~	~	~
		F 2 1/2 X 26 7/8	F	2 1/2	26 7/8	LL150	218	252-290	~	~
		PAN 2 3/4	PAN	2 3/4		~	~	~	JS-3040	~
	KOMORI 225	D 2.03 X 26 7/8	D	2 2/67	26 7/8	LL75	218	~	~	~
		F 2 9/26 X 26 23/26	F	2 9/26	26 23/26	LL150	250	252-290	~	~
		PAN 2.12	PAN	2 3/25		~	~	~	JS-1726	~

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liabilities for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		GREEN SYNTHETIC		
						A-TEX	TSC	WS	J-LASTIC	NEWS KNIT
KOMORI	KOMORI 25	D 2.38 X 28 1/2	D	2 19/50	28 1/2	LL100	250	~	~	~
		F 2.5 X 28 1/2	F	2 1/2	28 1/2	LL150	250	252-290	~	~
	KOMORI 26	D 1.9 X 27	D	1 9/10	27	LL150	218	~	~	~
		F 2.5 X 28.5	F	2 1/2	28 1/2	LL150	218	252-290	~	~
		PAN 2 3/4	PAN	2 3/4		~	~	~	JS-3040	~
	KONY	F 2.7	F	2 7/10		LL150	250	252-290	~	~
	HI KONY	F 2.5	F	2 1/2		LL150	250	252-290	~	~
	KOSMO	F 3.5	F	3 1/2		3	350	335-362	~	~
	EXCEL	F 2.4	F	2 2/5		LL150	250	252-290	~	~
	L-32, 232, 423	D 2.2	D	2 1/5		LL100	218	~	~	~
		F 2.4	F	2 2/5		LL150	250	252-290	~	~
	L-37T, L-237S, L-437S, L-37TP, L-237T	F 2.2	F	2 1/5		LL150	218	250-251	~	~
	L-43B, L-243B, L-443B, L-543	F 2.8	F	2 4/5		LL200	300	291-335	~	~
L-47, L-249	F 2.8	F	2 4/5		LL200	300	291-335	~	~	
SUPER 9	F 2.7	F	2 7/10		LL200	300	252-292	~	~	
KOHBUNDO	GRAMPUS 52	D 1.5	D	1 1/2		LL50	150	~	~	~
		F 1.7	F	1 7/10		LL75	175	169-192	~	~
	GRAMPUS 58	D 1.7	D	1 7/10		LL75	175	~	~	~
		F 1.8	F	1 4/5		LL75	175	169-192	~	~
	GRAMPUS 66	D 2.0	D	2		LL75	218	~	~	~
F 2.1		F	2 17/81		LL75	218	183-219	~	~	
MANN	L.P. 54	D 3 1/4 X 54 3/8	D	3 1/4	54 3/8	3	350	~	~	~
		F 3 7/16 X 54 3/8	F	3 7/16	54 3/8	3	350	335-362	~	~
	N.P.56	D 3 1/4 X 56 5/16	D	3 1/4	56 5/16	3	350	~	~	~
		F 3 27/64 X 56 5/16	F	3 27/64	56 5/16	3	350	335-362	~	~
	L235, L136	3M(28538) 2.8	3M	2 4/5		LL200	300	252-290	~	~
	30 1/2 X 42 1/2	3M(28548) 2.8	3M	2 4/5		LL200	300	252-290	~	~
	35 X 45 L148A, L248A	3M(33552) 3.35	3M	3 7/20		3	350	335-362	~	~
37 X 53 PERF, LP53, 40X54 PERF, LP54, 42X54 L154C, L254C 42 X 59 L159C, L259	3M(33558) 3.35	3M	3 7/20		3	350	335-362	~	~	
	3M(33562) 3.35	3M	3 7/20		3	350	335-362	~	~	
MARINONI	42 X 59 PERF	F 3.3	F	3 3/10		3	350	335-362	~	~
		F2 4.1	F2	4 1/10		4	478	~	~	~
	ML3, ML	F 2.1	F	2 1/10		LL150	218	193-219	~	~
	ML5, ML6	F 2.5	F	2 1/2		LL100	250	220-251	~	~
	ML7, ML9, ML10	F 3.3	F	3 3/10		3	350	335-362	~	~
F2 4.1		F2	4 1/10		4	478	~	~	~	
MERGENTHALER	INVICTA 38	F 2.9	F	2 9/10		3	300	291-335	~	~
	MEDIA MASTER	F 3.0	F	3		3	300	291-335	~	~
	MEDIA MASTER 27, 30, 36	F 2.9	F	2 9/10		3	300	291-335	~	~

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liabilities for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		GREEN SYNTHETIC		
						A-TEX	TSC	WS	J-LASTIC	NEWS KNIT
MERGENTHALER	PACER 36 WEB	F 2.7	F	2 7/10		LL175	300	252-290 FL 36.8"	~~	~~
	400-38, 500-40, 500-42	F 2.9	F	2 9/10		3	300	291-335	~~	~~
	600-50, 600-56, 600-63	F 3.35	F	3 7/20		3	350	335-362	~~	~~
MILLER	TP41	D 2 1/2 X 44 1/2	D	2 1/2	44 1/2	LL150	250	~~	~~	~~
		F 2 1/2 X 42 1/2	F	2 1/2	42 1/2	LL150	250	243-262	~~	~~
	TP41S	D 2 1/2 X 42 1/8	D	2 1/2	42 1/8	LL150	250	~~	~~	~~
		F 3 42 1/8	F	3	42 1/8	3	300	~~	~~	~~
	TP38	D 2 1/2 X 42	D	2 1/2	42	LL150	250	~~	~~	~~
		F 2 1/2 X 39	F	2 1/2	39	LL150	250	243-262	~~	~~
	MAN 30 X 42 IV	D 2 61/64 X 45 5/64	D	2 61/64	45 5/64	LL200	300	~~	~~	~~
		F 3 5/64 X 45 5/64	F	3 5/64	45 5/64	3	350	291-335	~~	~~
	MAN 35 X 48 V	D 2 61/64 X 50 19/32	D	2 61/64	50 19/32	LL200	300	~~	~~	~~
		F 3 35/64 X 50 19/32	F	3 35/64	50 19/32	3	350	335-356	~~	~~
	MAN 40 X 56 VI	D 2 61/64 X 56 57/64	D	2 61/64	56 57/64	LL200	300	~~	~~	~~
		F 3 35/64 X 56 57/64	F	3 35/64	56 57/64	3	350	335-362	~~	~~
	SJ/ TPJ	D 2 3/8 X 39 3/4	D	2 3/8	39 3/4	LL100	218	~~	~~	~~
		F 2 1/2 X 37	F	2 1/2	37	LL150	250	243-262	~~	~~
	W 22 17 1/2 X 24	F 2.4	F	2 2/5		LL150	250	243-262	~~	~~
	TP29 23 X 29 , TP32, TPJ, SJ 23 X 36	F 2.4	F	2 2/5		LL150	250	242-262	~~	~~
	M 415	F 3.0	F	3		3	300	366-394	~~	~~
	TP54	F 3.7	F	3 7/10		35	378	336-394	~~	~~
MAN III 25 X 38	F 2.4	F	2 2/5		LL150	250	243-262	~~	~~	
MAN VI, VIS 40 X 56, 30 X 42, 41 X 57, V36 X 48	F 2.4	F	2 2/5		LL150	250	243-262	~~	~~	
MARK IV S, V S, VI S, VII S	F 4.4	F	4 2/5		4	478	~~	~~	~~	
MITSUBISHI	LITHOPIA 600	F 4.4	F	4 2/5		4	478	~~	~~	~~
	D4E	F 3.0	F	3		3	300	291-335	~~	~~
		F2 2.8	F2	2 4/5		LL200	300	291-335	~~	~~
		F3 3.2	F3	3 1/5		3	300	291-335	~~	~~
	D2D	F 2.9	F	2 9/10		LL100	250	220-251	~~	~~
		F2 2.8	F2	2 4/5		LL100	250	220-251	~~	~~
		F3 2.2	F3	2 1/5		LL100	218	220-251	~~	~~
	D1E	F 2.4	F	2 2/5		LL100	250	220-251	~~	~~
		F2 2.5	F2	2 1/2		LL100	250	220-251	~~	~~
		F3 2.2	F3	2 1/5		LL100	218	220-251	~~	~~
MIEHLE	61,	D 3 7/8 X 63	D	3 7/8	63	35	378	~~	~~	~~
		F 3 1/2 X 60 1/2	F	3 1/2	60 1/2	3	350	335-362	~~	~~
	61F	D 3 7/8 X 62	D	3 7/8	62	35	378	~~	~~	~~
		F 3 1/2 X 62	F	3 1/2	62	3	378	335-362	~~	~~
	65,	D 2 1/2 X 67	D	2 1/2	67	LL150	250	~~	~~	~~
		F 3 X 67	F	3	67	3	350	291-335	~~	~~

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liability for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
MIEHLE	69,	D 3 1/2 X 68	D	3 1/2	68	3	378	~	~	~
		F 3 1/2 X 68 1/2	F	3 1/2	68 1/2	3	378	291-335	~	~
	76, 77	D 3 7/8 X 80	D	3 7/8	80	35	378	~	~	~
		F 3 1/2 X 77 1/2	F	3 1/2	77 1/2	3	378	335-362	~	~
FAVORITE		D 2 3/8 X 39 9/16	D	2 3/8	39 9/16	LL100	250	~	~	~
		F 2 9/16 X 38 31/32	F	2 9/16	38 31/32	LL100	300	243-263	~	~
38,		D 3 1/8 X 39 9/16	D	3 1/8	39 9/16	3	350	~	~	~
		F 2 3/4 X 38 31/32	F	2 3/4	38 31/32	LL200	300	291-335	~	~
		F2 2 9/16 X 39	F2	2 9/16	39	LL150	250	243-263	~	~
42,		D 3 1/8 X 43 29/32	D	3 1/8	43 29/32	3	350	~	~	~
		F 3 1/8 X 44 29/32	F	3 1/8	44 29/32	3	350	291-335	~	~
		F2 3 9/15 X 42 29/32	F2	3 3/5	42 29/32	34	378	252-290	~	~
49,		D 3 1/8 X 53 13/32	D	3 1/8	53 13/32	3	350	~	~	~
		F 3 9/16 X 50 13/32	F	3 9/16	50 13/32	35	378	252-290	~	~
61,		D 3 7/8 X 60 7/8	D	3 7/8	60 7/8	35	378	~	~	~
		F 3 1/2 X 60 1/2	F	3 1/2	60 1/2	3	350	335-362	~	~
29,		D 2 3/8 X 31 39/32	D	2 3/8	32 7/32	LL100	250	~	~	~
		F 2 9/16 X 3 1/2	F	2 9/16	3 1/2	LL150	300	243-263	~	~
34,		D 2 1/4 X 37	D	2 1/4	37	LL100	250	~	~	~
		F 2 1/4 X 37	F	2 1/4	37	LL100	250	243-263	~	~
36,		D 2 3/8 X 37 7/32	D	2 3/8	37 7/32	LL100	250	~	~	~
		F 2 9/16 X 36 13/32	F	2 9/16	36 13/32	LL150	300	243-263	~	~
38 1-2 COLOR		D 2 3/8 X 39 2 1/16	D	2 3/8		LL100	250	~	~	~
		F 2 9/16 X 38 3/4	F	2 9/16	38 3/4	LL150	300	243-263	~	~
38 4 COLOR		D 2 51/64 X 39 13/23	D	2 51/64	39 13/23	LL200	300	~	~	~
		F 2 51/64 X 38 31/32	F	2 51/64	38 31/32	LL200	300	252-290	~	~
25,		D 2 3/8 X 28 3/4	D	2 3/8	28 3/4	LL100	250	~	~	~
		F 2 9/16 X 27 15/16	F	2 9/16	27 15/16	LL150	300	243-263	~	~
RECORD		D 2 3/8 X 38 9/32	D	2 3/8	38 9/32	LL100	250	~	~	~
		F 2 9/16 X 38 5/32	F	2 9/16	38 5/32	LL150	300	243-263	~	~
ULTRA 41		D 3 1/8 X 46 27/32	D	3 1/8	46 27/32	3	350	~	~	~
		F 3 9/16 X 44 7/8	F	3 9/16	44 7/8	35	378	335-362	~	~
ULTRA 49		D 3 1/8 X 52 3/8	D	3 1/8	52 3/8	3	350	~	~	~
		F 3 9/16 X 50 7/8	F	3 9/16	50 7/8	35	378	335-362	~	~
383,		D 2 X 38 1/2	D	2	38 1/2	3	300	~	~	~
		F 3 X 38 1/2	F	3	38 1/2	3	300	291-335	~	~
25,		D 2 3/8 X 29 1/8	D	2 3/8	29 1/8	LL100	250	~	~	~
		F 2 9/16 X 28 11/32	F	2 9/16	28 11/32	LL150	300	243-263	~	~
LITHO II		D 1 7/16 X 21	D	1 7/16	21	LL50	150	~	~	~
		F 2 X 21	F	2	21	LL75	218	193-219	~	~

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liability for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		GREEN SYNTHETIC			
						A-TEX	TSC	WS	J-LASTIC	NEWS KNIT	
MIEHLE	44,	D 2 1/2 X 44 1/4	D	2 1/2	44 1/4	LL150	250	~	~	~	
		F 3 1/16 X 44 1/4	F	3 1/16	44 1/4	3	350	335-362	~	~	
	54,	D 2 1/2 X 55 1/2	D	2 1/2	55 1/2	LL150	300	~	~	~	
		F 3 X 55	F	3	55	3	300	291-335	~	~	
	54TC	D 2 1/2 X 56	D	2 1/2	56	LL150	300	~	~	~	
		F 3 X 56	F	3	56	3	300	291-335	~	~	
	57,	D 3 1/2 X 56 1/2	D	3 1/2	56 1/2	35	350	~	~	~	
		F 3 1/2 X 56 1/2	F	3 1/2	56 1/2	35	350	335-362	~	~	
	55,	D 3 1/8 X 57 7/8	D	3 1/8	57 7/8	3	350	~	~	~	
		F 3 9/16 X 55 29/32	F	3 9/16	55 29/32	35	350	336-394	~	~	
	PARVA	D 3.93 X 35.8	D	3 40/43	35 4/5	35	378	~	~	~	
		F 3.64 X 36.8	F	3 16/25	36 4/5	35	378	336-394	~	~	
	NEBIOLO	INVICTA, 25, 225, 26, 26S, 226S, 26V	F 1.8	F	1 4/5		LL75	218	193-219	~	~
			F 2.8	F	2 4/5		LL75	300	291-335	~	~
MEDIA MASTER 27, 30, 36		D 2.4	D	2 2/5		LL150	150	~	~	~	
		F 2.8	F	2 4/5		LL175	218	193-219	~	~	
INVICTA 38R		F 2.9	F	2 9/10		LL175	300	291-335	~	~	
		D 2.9	D	2 9/10							
MEDIA MASTER 40		D 2.0	D	2		LL75	218	~	~	~	
		F 2.8	F	2 4/5		LL175	300	291-335	~	~	
INVICTA 44		D 2.9	D	2 9/10		LL175	300	~	~	~	
		F 3.2	F	3 1/5		35	350	335-362	~	~	
OMNI ADAST	RAYMAYOR 314	D 1.33 X 20.5	D	1 1/3	20 1/2	LL50	150	~	~	~	
		F 1.3 X 20.5	F	1 3/10	20 1/2	LL50	150	150-168	~	~	
		F2 2.5 X 20.5	F2	2 1/2	20 1/2	LL150	250	243-263	~	~	
	414,	D 1.4 X 12.0	D	1 2/5	12	LL50	150	~	~	~	
		F 1.9 X 11.8	F	1 9/10	11 4/5	LL75	218	193-219	~	~	
	504, 505	D 1.4 X 21.47	D	1 2/5	21 39/83	LL50	150	~	~	~	
		F 1.93 X 21.26	F	1 53/57	21 13/50	LL75	218	193-219	~	~	
	506,	D 1.45 X 21.45	D	1 9/20	21 9/20	LL50	150	~	~	~	
		F 1.93 X 21.26	F	1 53/57	21 13/50	LL75	218	193-219	~	~	
	514, 524, ROYAL ZENITH 20	D 1.5 X 21.5	D	1 1/2	21 1/2	LL50	150	~	~	~	
		F 1.9 X 21.25	F	1 9/10	21 1/4	LL75	218	193-219	~	~	
	515, 525	D 1.4 X 21.45	D	1 2/5	21 9/20	LL50	150	~	~	~	
		F 1.9 X 21.25	F	1 9/10	21 1/4	LL75	218	193-219	~	~	
	704, 705, 714, 724	D 1.58 X 27.67	D	1 29/50	27 65/97	LL75	175	~	~	~	
		F 1.97 X 26.77	F	1 32/33	26 10/13	LL75	218	193-219	~	~	
	715A, 725P/A, 726P/A, 745P/A, 755P/A	D 1.5 X 25.78	D	1 1/2	25 39/50	LL50	175	~	~	~	
		F 1.9 X 26.77	F	1 9/10	26 10/13	LL75	218	193-219	~	~	

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liability for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		GREEN SYNTHETIC		
						A-TEX	TSC	WS	J-LASTIC	NEWS KNIT
OMNI ADAST	806,	D 2.12 X 31.5	D	2 3/25	31 1/2	LL100	218	~	~	~
		F 2.52 X 30 .31	F	2 13/25	30 22/71	LL150	250	243-263	~	~
	DOMINANT 516, 26, 5269	D 1.97 X 22.2	D	1 32/33	22 1/5	LL75	218	~	~	~
		F 2.13 X 20.87	F	2 10/77	20 67/77	LL100	218	220-243	~	~
	DOMINANT 547	D 1.97 X 21.89	D	1 32/33	21 81/91	LL75	218	~	~	~
		F 2.13 X 21.50	F	2 10/77	21 1/2	LL100	218	220-243	~	~
	DOMINANT 7 X 5 C	D 1.97 X 30.83	D	1 32/33	30 39/47	LL75	218	~	~	~
		F 2.13 X 26.77	F	2 10/77	26 10/13	LL100	218	220-243	~	~
	DOMINANT 7 X 6	D 2.13 X 27.95	D	2 10/77	27 19/20	LL100	218	~	~	~
		F 3.11 X 26.77	F	3 10/91	26 10/13	3	250	291-335	~	~
		F2 2.52 X 26.77	F2	2 13/25	26 10/13	LL100	250	243-263	~	~
	DOMINANT 8 X 6 A	D 2.13 X 30.50	D	2 10/77	30 1/2	LL100	218	~	~	~
		F 3.11 X 30.31	F	3 10/91	30 22/71	3	250	291-335	~	~
		F2 2.52 X 30.31	F2	2 13/25	30 22/71	LL150	250	243-263	~	~
PLANETA	SUPER VARIANT 4	D 3.9	D	3 9/10		35	378	~	~	~
		F 3.3	F	3 3/10		3	350	335-362	~	~
	SUPER VARIANT 4.5	D 2.2	D	2 1/5		LL100	218	~	~	~
		F 2.6	F	2 3/5		LL150	300	252-290	~	~
	SUPER VARIANT 6 6A, 7, 8, 8A	F 3.8	F	3 4/5		3	378	336-394	~	~
		D 3.5	D	3 1/2		3	350	~	~	~
	EAST G	F 3.7	F	3 7/10		35	378	336-394	~	~
		D 2.4	D	2 2/5		LL100	150	~	~	~
		F 2.7	F	2 7/10		LL150	300	252-290	~	~
	POTTER FLAT BED	#2	D 2 X 38	D	2	38	LL75	218	~	~
F 2 3/4 X 38			F	2 3/4	38	LL175	300	252-290	~	~
#3		D 2 X 48	D	2	48	LL75	218	~	~	~
		F 2 3/4 X 48	F	2 3/4	48	LL175	300	252-290	~	~
#4		D 2 X 54	D	2	54	LL75	218	~	~	~
		F 2 3/4 X 54	F	2 3/4	54	LL175	300	252-290	~	~
ROYAL ZENITH	126, 226	D 1 13/16 X 26 3/4	D	1 13/16	26 3/4	LL75	175	~	~	~
		F 2 26 3/4	F	2	26 3/4	LL75	218	193-219	~	~
	23,	D 1 45/64 X 26 7/8	D	1 45/64	26 7/8	LL75	175	~	~	~
		F 1 57/64 X 23 1/2	F	1 57/64	23 1/2	LL75	218	193-219	~	~
	30,	D 2 3/4 X 31 3/8	D	2 3/4	31 3/8	LL75	218	~	~	~
		F 2 44/64 X 30 1/4	F	2 11/16	30 1/4	LL175	300	252-290	~	~
	14 X 20	D 1 1/2 X 20 7/8	D	1 1/2	20 7/8	LL50	150	~	~	~
		F 2 X 20 7/8	F	2	20 7/8	LL75	218	193-219	~	~
	29,	D 2 3/4 X 32 1/2	D	2 3/4	32 1/2	LL75	175	~	~	~
		F 2 3/4 X 31 5/8	F	2 3/4	31 5/8	LL75	175	252-290	~	~

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liability for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
ROYAL ZENITH	WEBMATIC R 20	D 1 15/16 X 26 1/2	D	1 15/16	26 1/2	LL75	218	~	~	~
		F 2 1/16 X 26 13/16	F	2 1/16	26 13/16	LL75	218	220-251	~	~
	24,	D 2 11/64 X 26 3/8	D	2 11/64	26 3/8	LL100	218	~	~	~
		F 2 11/64 X 26 3/8	F	2 11/64	26 3/8	LL100	218	220-251	~	~
	38 CHAMPION	D 3 1/64 X 38 31/32	D	3 1/64	38 31/32	LL200	300	~	~	~
		F 3 1/16 X 38 31/32	F	3 1/16	38 31/32	LL200	300	335-362	~	~
	20 A	D 1.33 X 21 11/16	D	1 1/3	21 11/16	LL50	150	~	~	~
		F 1 63/64 X 22 1/2	F	1 63/64	22 1/2	LL75	218	~	~	~
		3M 1.97 X 22 1/2	3M	1 32/33	22 1/2	~	~	193-219	~	~
	20S	D 1.37 X 21 1/2	D	1 10/27	21 1/2	LL50	150	~	~	~
		F 1.81 X 21 1/2	F	1 64/79	21 1/2	LL75	218	~	~	~
		3M 1.97 X 22 1/2	3M	1 32/33	22 1/2	~	~	193-219	~	~
	JOBBER 22/25	D 1.41 X 23 1/2	D	1 25/61	23 1/2	LL50	150	~	~	~
		F 1.81 X 21 1/2	F	1 64/79	21 1/2	LL75	218	~	~	~
		3M 1.97 X 23 3/4	3M	1 32/33	23 3/4	~	~	193-219	~	~
	25,	D 2 3/64 X 26 3/8	D	2 3/64	26 3/8	LL100	218	~	~	~
		F 2 3/64 X 26 3/8	F	2 3/64	26 3/8	LL100	218	~	~	~
		3M 2.1 X 26 1/2	3M	2 1/10	26 1/2	~	~	193-219	~	~
	50,	D 3.54 X 52	D	3 27/50	52	35	350	~	~	~
		F 3.78 X 50 13/16	F	3 39/50	50 13/16	35	378	336-394	~	~
	PLANETA 25 X 40	D 2.28 X 41	D	2 7/25	41	LL100	250	~	~	~
		F 2.62 X 41	F	2 31/50	41	LL150	250	~	~	~
		3M(27242) 2.7 X 41	3M	2 7/10	41	~	~	252-290	~	~
	30,	D 2 5/8 X 31 7/8	D	2 5/8	31 7/8	LL75	175	~	~	~
		F 2 5/8 X 30 7/8	F	2 5/8	30 7/8	LL75	175	~	~	~
		3M 2.7 X 31 5/8	3M	2 7/10	31 5/8	~	~	252-290	~	~
	40 X 55	D 3.54 X 57 1/2	D	3 27/50	57 1/2	35	378	~	~	~
		F 3.78 X 56 5/16	F	3 39/50	56 5/16	35	378	~	~	~
		3M(39159) 3.9 X 56 7/8	3M	3 9/10	56 7/8	~	~	336-394	~	~
	44 X 64	D 3.54 X 66 3/4	D	3 27/50	64 3/4	35	378	~	~	~
F 3.78 X 64 3/4		F	3 39/50	64 3/4	35	378	~	~	~	
3M(39166) 3.9 X 64 3/4		3M	3 9/10	64 3/4	~	~	336-394	~	~	
ROTO PRINT	R30	D 1.8	D	1 4/5	LL75	175	~	~	~	
ROLAND	FAVORITE	D 3.9 X 30.1	D	3 9/10	30 1/10	35	378	~	~	~
		F 3.9 X 30.1	F	3 9/10	30 1/10	35	378	~	~	~
		PAN 3.9	PAN	3 9/10	~	~	~	~	JS-3040	~
	PARVA	D 3.9 X 36.8	D	3 9/10	36 4/5	35	378	~	~	~
		F 3.6 X 36.8	F	3 3/5	36 4/5	35	378	336-394	~	~
		PAN 3.1	PAN	3 1/10	~	~	~	~	JS-3040	~

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
ROLAND	RECORD	D 3.9 X 41.9	D	3 9/10	41 9/10	35	378	~	~	~
		F 3.6 X 40.9	F	3 3/5	40 9/10	35	378	336-394	~	~
		PAN 3.9	PAN	3 9/10		~	~	~	JS-3040	~
	600,800	F 3.93	F	3 40/43		35	378	~	~	~
		PAN 3.95	PAN	3 19/20		~	~	~	JS-3040	~
	600, 800 COATING UNIT	F 3.6	F	3 3/5		35	378	336-394	~	~
		F2 4.3	F2	4 3/10		4	478	~	~	~
		PAN 3.9	PAN	3 9/10		~	~	~	JS-3040	~
	R802, 808, RZK, RAKUND 600	F 3.6	F	3 3/5		35	378	336-394	~	~
		PAN 3.5	PAN	3 1/2		~	~	~	JS-3040	~
		PAN2 3.93	PAN2	3 40/43		~	~	~	LS-3040	~
	RZK, RAZ, RK	F 2.55	F	2 11/20		LL150	250	252-290	~	~
		PAN 3.14	PAN	3 7/50		~	~	~	JS-3040	~
		PAN 2 3.63	PAN2	3 17/27		~	~	~	JS-3040	~
	RZK, RAZ WITH ROLANDMATIC	F 3.6	F	3 3/5		35	378	336-394	~	~
		PAN 3.9	PAN	3 9/10		~	~	~	JS-3040	~
	R 201	F 3.4	F	3 2/5		3	350	335-362	~	~
		PAN 3.4	PAN	3 2/5		~	~	~	JS-3040	~
	R 202	F 3.46	F	3 23/50		3	350	335-362	~	~
		PAN 1.85	PAN	1 17/20		~	~	~	JS-1726	~
		PAN 1.85	PAN2	1 17/20		~	~	~	JS-1726	~
	R 207	F 3.46	F	3 23/50		3	350	336-362	~	~
		PAN 1.49	PAN	1 24/49		~	~	~	JS-1726	~
	PRAKTICA, PRZ OO PR 01	D 1.96	D	1 24/25		LL75	218	~	~	~
		F 1.77	F	1 67/87		LL75	175	243-263	~	~
		PAN 2.63	PAN	2 17/27		~	~	~	JS-3040	~
	RZF, RVF, RFF, RZP, RVP	D 2.3	D	2 3/10		LL100	250	~	~	~
		F 2.5	F	2 1/2		LL150	250	243-263	~	~
		PAN 3.1	PAN	3 1/10		~	~	~	JS-3040	~
	RYOBI	3200 MCD	D 1 1/32 X 13 19/32	D	1 1/32	13 19/32	LL25	118	~	~
F 2 X 13 23/32			F	2	13 23/32	LL75	218	~	~	~
3M(21019) 2 1/8 X 13 27/32			3M	2 1/8	13 27/32	~	~	193-219	~	~
3302,		D 1 1/32 X 14 3/16	D	1 1/32	14 3/16	LL25	118	~	~	~
		F 2 X 13 23/32	F	2	13 23/32	LL75	218	~	~	~
		3M(21019) 2 1/8 X 13 27/32	3M	2 1/8	13 27/32	~	~	193-219	~	~
3303,		F 2 19/32 X 13 13/32	F	2 19/32	13 13/32	LL150	218	252-290	~	~
480K, 500K		D 1 13/32 X 19 5/16	D	1 13/32	19 5/16	LL25	118	~	~	~
		F 1 5/8 X 19 7/16	F	1 5/8	19 7/16	LL75	175	~	~	~
		3M(17222) 1 3/4 X 19 7/16	3M	1 3/4	19 7/16	~	~	169-192	~	~

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liability for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC		
						A-TEX	TSC		J-LASTIC	NEWS KNIT	
RYOBI	510, 512	D 1 3/8 X 21 3/32	D	1 3/8	21 3/32	LL50	150	~	~	~	
		F 1 25/32 X 20 11/16	F	1 25/32	20 11/16	LL75	175	~	~	~	
		3M(18522) 1 7/8 X 20 11/16	3M	1 7/8	20 11/16	~	~	185-211	~	~	
		F2 1 5/8 X 20 11/16	F2	1 5/8	20 11/16	LL75	175	~	~	~	
		3M(17222) 1 3/4 X 20 11/16	3M	1 3/4	20 11/16	~	~	169-192	~	~	
	520, 522, 524	D 1 13/32 X 21 1/4	D	1 13/32	21 1/4	LL50	150	~	~	~	
		F 1 23/32 X 20 11/16	F	1 23/32	20 11/16	LL50	150	~	~	~	
		3M(18522) 1 7/8 X 20 11/16	3M	1 7/8	20 11/16	~	~	185-211	~	~	
		F2 1 23/32 X 20 11/16	F2	1 23/32	20 11/16	LL50	150	~	~	~	
		3M(21022) 2 1/8 X 19 1/2	3M1	2 1/8	19 1/2	~	~	193-219	~	~	
	500 N	D 1 1/32 X 19 17/32	D	1 1/32	19 17/32	LL50	125	~	~	~	
		F 2 19 1/2	F	2	19 1/2	LL75	218	~	~	~	
	640k * Given by customer.	D 1 5/8 X 26 EST	D	1 5/8	26	LL75	175				
		F 2 1/4 X 26 EST	F	2 1/4	26	LL100	250				
	SAKURI/ OLIVER	58, 258, PRP, 458	D 1.85 X 23.3	D	1 17/20	23 3/10	LL75	218	~	~	~
			F 1.85 X 23.2	F	1 17/20	23 1/5	LL75	218	~	~	~
			3M 1.98 X 23.2	3M	1 49/50	23 1/5	~	~	193-219	~	~
			PAN 2.3	PAN	2 3/10		~	~	~	~	~
		66,	D 2.4 X 26.69	D	2 2/5	26 49/71	LL150	250	~	~	~
			F 2.40 X 26.69	F	2 2/5	26 49/71	LL150	250	220-253	~	~
PAN 2.6			PAN	2 3/5		~	~	~	JS-1726	~	
72, 272, 272E, EP, RP		D 2.40 X 29.13	D	2 2/5	29 10/77	LL150	250	~	~	~	
		F 2.40 X 29.13	F	2 2/5	29 10/77	LL150	250	220-243	~	~	
		F2 2.40 X 28.34	F2	2 2/5	28 17/50	LL150	250	220-243	JS-1726	~	
		PAN 2.6	PAN	2 3/5							
82,		F 2.4	F	2 2/5		LL150	250	220-243	~	~	
OLIVER		F 1.7	F	1 7/10		LL75	175	169-192	~	~	
48 TYPE 6		F 1.7	F	1 7/10		LL75	250	169-192	~	~	
48 TYPE 8		F 1.8	F	1 4/5		LL75	218	193-219	~	~	
58 TYPE 8	F 1.8	F	1 4/5		LL75	218	193-219 FL 23.3"	~	~		
SCHRIBER	BANTAM WEB	D 1.97	D	1 32/33		LL75	218	~	~	GNK-20	
	27 WEB	D 2.22	D	2 11/20		LL100	218	~	~	GNK-20	
SHINOHARA/ FUJI	1919,	D 1.73	D	1 46/63		LL75	250	~	~	~	
	52II P	D 1.73 X 22	D	1 46/63	22	LL75	250	~	~	~	
		F 1.92 X 22	F	1 53/57	22	LL75	218	193-219	~	~	
	51,	D 1.73 X 21	D	1 46/63	21	LL75	250	~	~	~	
	25,	F 2 1/4 X 26 3/8	F	2 1/4	26 3/8	LL100	250	~	~	~	
D 2 1/4 X 26 3/8		D	2 1/4	26 3/8							

Base-Line has made every effort to provide complete and accurate information. However, Base-Line does not warrant the accuracy, adequacy, or completeness of this information and expressly disclaims liability for errors, typos, or omissions.

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
SHINOHARA/ FUJI	25 II P	F 2.3 X 26.4	F	2 3/5	26 2/5	LL100	250	~	~	~
		D 2.3 X 26.4	D	2 1/2	26 2/5					
	50,	D 1.89 X 20.5	D	1 8/9	20 1/2	LL75	218	~	~	~
		F 2.06 X 20.75	F	2 3/50	20 3/4	LL100	218	193-219	~	~
	65 II P	F 2.3 X 26.4	D	2 3/5	26 2/5	LL100	250	193-219	~	~
		D 2.3 X 26.4	F	2 3/5	26 2/5					
	50,	D 1.7 X 21	D	1 7/10	21	LL75	250	~	~	~
		F 2.04 X 21	F	2 1/25	21	LL100	218	~	~	~
		3M(20522) 2.1 X 21	3M	2 1/10	21	~	~	193-219	~	~
	SOLNA	164, 464	D 2.1 X 26.7	D	2 1/10	26 7/10	LL100	218	~	~
F 2.2 X 25.5			F	2 1/5	25 1/2	LL100	218	193-219	~	~
25, 125, 225, 425, PROFITEER		D 2 1/4 X 26.77	D	2 1/4	26 10/13	LL100	218	~	~	~
		F 2 1/4 X 25.59	F	2 1/4	25 23/39	LL100	218	220-243	~	~
129,		D 2 3/8 X 34 1/16	D	2 3/8	34 1/16	LL100	250	~	~	~
		F 2 9/16 X 33 1/16	F	2 9/16	33 1/6	LL150	250	252-290	~	~
COLOR KING		F 2.6	F	2 3/5		LL150	300	252-290	~	~
C-96		F 2.6	F	2 3/5		LL150	300	252-290 FL 38.8"	~	~
SOLNA CHIEF 24 (before #1800)		F 2.25	F	2 1/4		LL100	250	243-263	~	~
SOLNA CHIEF 24 (#1800 & up)		F 2.3	F	2 3/10		LL100	250	252-290	~	~
130, 230 T/C		F 2.7	F	2 7/10		LL200	300	252-290	~	~
129, 132, 232		F 2.5	F	2 1/2		LL150	250	220-251 FL 33.1"	~	~
240,		F 2.5	F	2 1/2		LL150	250	252-290	~	~
154,	F 1.9	F	1 9/10		LL75	218	220-251	~	~	
SUMMITOMO	TP 38 S, 32 S	D 2.0	D	2		LL75	218	~	~	~
		F 2.4	F	2 2/5		LL150	250	252-290	~	~
	TP 26S	D 2.2	D	2 1/5		LL100	218	~	~	~
		F 2.2	F	2 1/5						
	TP 41	D 2.3	D	2 3/10		LL100	250	~	~	~
		F 2.3	F	2 3/10		LL100	250			
TAIYO	SMP 80-1	D 1.8	D	1 4/5		LL75	218	~	~	~
THATCHER	TP 36 WEB	D 2.7	D	2 7/10		LL200	300		GNK-27	~
TOSHIBA	OA-82, OA0RK, OA-TX	F 4.2	F	4 1/5		4	476	~	~	~
	OC-BC, OT-A1, A2	D 2.4	D	2 2/5		LL100	250	~	~	~
		F 2.5	F	2 1/2		LL150	250	252-290	~	~
	OA-B1R, B1, B2	D 4.4	D	4 2/5		4	478	~	~	~
		F 4.4	F	4 2/5		4				
	OT-52, B3	D 3.0	D	3		3	300	~	~	~
F 3.0		F	3		3					
OC-B3E, AC-B2, OT-B2, OA-B2	D 3.7	D	3 7/10		35	378	~	~	~	

Information provided by Base-Line/Jomac

PRESS MAKE / MFR	MODEL	ROLLER SIZES	D/F	DIAMETER	FACE LENGTH	GS		WS	GREEN SYNTHETIC	
						A-TEX	TSC		J-LASTIC	NEWS KNIT
TOSHIBA	OE-B2	D 2.9	D	2 9/10		3	300	~	~	~
		F 3.0	F	3		3	300	335-362	~	~
	AOT-500	D 4.4	D	4 2/5		4	478	~	~	~
	B2T-500	D 2.9	D	2 9/10		3	300	~	~	~
THOMPSON CROWN	REGAL	D 2.5	D	2 1/2		LL150	250	~	~	~
UKITA	OW	D 1.6	D	1 3/5		LL175	175	~	~	~
		F 1.8	F	1 4/5		LL200	218	193-219	~	~
VANDERCOOK	RO4-29	D 1.9	D	1 9/10		LL200	218	~	~	~
WEB PRESS	WEB LEADER	D 2.8	D	2 4/5		3	300	~	~	GNK-27
WEBENDORFER	14 X 20 M & MA, 17 X 22 MAC, 20 X 26 WS	D 2.22	D	2 11/50		LL100	250	~	~	~
WESTERN GEAR	SPEEDFLEX 1713	D 2 1/8 X 14 1/2	D	2 1/8	14 1/2	LL100	218	~	~	~
		F 2 1/16 X 13 13/16	F	2 1/16	13 13/16	LL100	218	~	~	~
	SPEEDFLEX 1735 WEB	D 1.9	D	1 9/10		LL75	218	~	~	GNK-20
	SPEEDFLEX 1719 WEB	D 2.2	D	2 1/5		LL100	250	~	~	GNK-20
	SPEEDFLEX 27 WEB	D 1.9	F	1 9/10		LL75	218	~	~	GNK-20
	P-26	F 2.47	F	2 8/17		LL150	250	220-251 FL 27.5"	~	~
HENDRY 45 1/2 X 37 1/2	F 3.03	F	3 2/67		3	300	291-335	~	~	
WOOD-HOE	UNIMAN	F 3.6	F	3 3/5		35	350	336-394	~	~